

ROZOL SPECIMEN LABEL

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

WARNING

Do not expose pregnant humans or nontarget animals to this product. May be fatal if swallowed. Wash thoroughly with soap and water after handling and before eating or smoking. This product can be absorbed through the skin. Wear a mask and gloves when applying or handling this product. Keep away from humans, domestic animals or pets.

NOTE TO PHYSICIAN: If ingested, administer Vitamin K1 intramuscularly or orally as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

ENVIRONMENTAL HAZARDS

This product is toxic to wildlife. Keep out of lakes, streams or ponds.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL.

STORAGE: Store in original container in a cool, dry place inaccessible to children and pets.

PESTICIDE DISPOSAL:

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL:

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

EPA Reg. No. 7173-172 EPA Est. No.: 7173-WI-01

RESTRICTED-USE PESTICIDE DUE TO HIGH ACUTE TOXICITY

For retail sale to and use by Certified Applicators or persons under their direct supervision and only those uses covered by the Certified Applicator's Certificate.



ROZOL®
BLUE TRACKING POWDER

FOR INDOOR USE ONLY FOR MICE AND RATS

Active Ingredient:

2-[p-(Chlorophenyl) phenylacetatyl]-1,3-Indandione . . . 0.2%

Inert Ingredients 99.8%

Total: 100.0%

*Chlorofluacinone-Lipthadione

KEEP OUT OF REACH OF CHILDREN WARNING

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: CALL A PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY. Drink 1 or 2 glasses of water and induce vomiting by touching the back of the throat with finger. DO NOT induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: REMOVE VICTIM TO FRESH AIR.

MANUFACTURED BY:

LIPHA[®]TECH

LiphaTech Inc.
3101 West Custer Ave.
Milwaukee, WI 53209

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS: For control of Norway rats, roof rats and house mice inside of homes, industrial and agricultural buildings, and similar manmade structures. Rozol Tracking Powder may also be dusted into rat burrows that are located along the periphery of buildings and that are likely to serve as routes of entry into these structures. Tracking powder must be placed in locations not accessible to children, pets, domestic animals or wildlife. Do not place powder in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not place near ventilation duct openings.

SELECTION OF TREATMENT AREAS: Determine dry areas where rats/mice will most likely pick up the powder on their feet or fur and ingest it during grooming. Generally, these areas are along walls, by gnawed openings and burrows, in corners and concealed places, in spaces between floors and walls, or in locations where rodents or their signs have been observed. Remove goods piled directly on the floor and place on skids. Use boxes or other obstacles to force rodents to travel through constricted areas. Give special attention to the climbing ability of roof rats. For this species, use suitable cardboard tubes or wooden tunnels securely attached to rafters or other horizontal surfaces where rats will pass. Employ tubes long enough to minimize spillage of powder through the ends.

APPLICATION DIRECTIONS:

For house mice use the rate of 1 oz powder per 2.5 sq. ft. of runway area. For Norway and roof rats use at the rate of 2 oz powder per 2.5 sq. ft. of runway area. Apply the powder into the rodent burrow or holes or within walls with a hand bulb or similar duster. Do not use power dusting devices. Sprinkle the powder in patches in such a manner as to expose the rodents to it. Patch size may be (but not limited to) 6 inches x 12 inches and should be adapted to each situation. For burrows that are located along the periphery of buildings and that are likely to serve as routes of entry into these structures, place about 5 grams of tracking powder in each burrow with foot-pump duster (about 15 pumps). Close burrows with soil, loose leaves or paper. Repeat treatment if burrows are reopened.

Maintain powder in treated areas for at least 20 days. Collect and dispose of all dead animals and used powder properly.

Repeat treatment when infestation recurs. Where a continuous source of infestation is present, establish permanent tracking powder stations and replenish the powder as needed.

4243